

## PAC 設定檔範例與說明

有任何建議，請 Email 給管理者 [proxy@twaren.net](mailto:proxy@twaren.net)

Last Modified - 08/15/2005 09:28:09

```
//=====
// 代理伺服器自動組態設定檔
//=====
```

```
function FindProxyForURL(url, host) {
```

```
// 目的台灣的網域 不 Proxy
```

```
if
```

```
(
```

```
dnsDomainIs(host, ".tw") ||
```

```
dnsDomainIs(host, ".acer.net") ||
```

```
dnsDomainIs(host, ".chinatimes.com") ||
```

```
dnsDomainIs(host, ".ettoday.com") ||
```

```
dnsDomainIs(host, ".gigigaga.com") ||
```

```
dnsDomainIs(host, ".hinet.net") ||
```

```
dnsDomainIs(host, ".kimo.com") ||
```

```
dnsDomainIs(host, ".seed.net") ||
```

```
dnsDomainIs(host, ".seeder.net") ||
```

```
dnsDomainIs(host, ".silker.net") ||
```

```
dnsDomainIs(host, ".twnic.net") ||
```

```
dnsDomainIs(host, ".udn.com") ||
```

```
dnsDomainIs(host, ".yam.com"))
```

```
return "DIRECT";
```

```
// 目的 TWAREN IP 不 Proxy
```

```
if (
```

```
isInNet(host, "211.79.48.0", "255.255.240.0"))
```

```
return "DIRECT";
```

```
// 目的 TANet IP 不 Proxy
```

```
if (
```

```
isInNet(host, "134.208.0.0", "255.255.0.0") ||
```

```
isInNet(host,"140.109.0.0","255.255.0.0") ||
isInNet(host,"140.110.0.0","255.254.0.0") ||
isInNet(host,"140.112.0.0","255.240.0.0") ||
isInNet(host,"140.127.0.0","255.255.0.0") ||
isInNet(host,"140.128.0.0","255.248.0.0") ||
isInNet(host,"140.131.0.0","255.254.0.0") ||
isInNet(host,"140.134.0.0","255.252.0.0") ||
isInNet(host,"140.92.0.0","255.255.0.0") ||
isInNet(host,"140.96.0.0","255.255.0.0") ||
isInNet(host,"163.13.0.0","255.240.0.0") ||
isInNet(host,"163.32.0.0","255.255.0.0") ||
isInNet(host,"192.83.166.0","255.255.254.0") ||
isInNet(host,"192.83.168.0","255.255.248.0") ||
isInNet(host,"192.83.176.0","255.255.240.0") ||
isInNet(host,"192.83.192.0","255.255.252.0") ||
isInNet(host,"192.83.196.0","255.255.255.0") ||
isInNet(host,"192.192.0.0","255.255.0.0") ||
isInNet(host,"203.64.0.0","255.255.0.0") ||
isInNet(host,"203.67.0.0","255.254.0.0") ||
isInNet(host,"203.71.0.0","255.253.0.0") ||
isInNet(host,"203.72.0.0","255.255.0.0") ||
isInNet(host,"210.59.0.0","255.255.128.0") ||
isInNet(host,"210.60.0.0","255.255.0.0") ||
isInNet(host,"210.62.64.0","255.255.224.0") ||
isInNet(host,"210.62.224.0","255.255.240.0") ||
isInNet(host,"210.62.240.0","255.255.248.0") ||
isInNet(host,"210.68.0.0","255.255.255.0") ||
isInNet(host,"210.70.0.0","255.255.0.0") ||
isInNet(host,"210.71.0.0","255.255.128.0") ||
isInNet(host,"210.200.32.0","255.255.224.0") ||
isInNet(host,"210.240.0.0","255.255.0.0") ||
isInNet(host,"210.243.0.0","255.255.128.0") ||
// 目的 ISP IP 不 Proxy
isInNet(host,"59.104.0.0","255.254.0.0") ||
isInNet(host,"59.120.0.0","255.244.0.0") ||
isInNet(host,"60.198.0.0","255.255.0.0") ||
isInNet(host,"60.248.0.0","255.255.0.0") ||
isInNet(host,"61.13.0.0","255.255.0.0") ||
```

isInNet(host,"61.16.0.0","255.255.128.0") ||  
isInNet(host,"61.20.0.0","255.255.0.0") ||  
isInNet(host,"61.30.0.0","255.255.0.0") ||  
isInNet(host,"61.31.0.0","255.255.0.0") ||  
isInNet(host,"61.56.224.0","255.255.224.0") ||  
isInNet(host,"61.59.0.0","255.255.0.0") ||  
isInNet(host,"61.62.0.0","255.255.0.0") ||  
isInNet(host,"61.66.0.0","255.255.0.0") ||  
isInNet(host,"61.216.0.0","255.240.0.0") ||  
isInNet(host,"146.222.30.0","255.255.254.0") ||  
isInNet(host,"146.222.32.0","255.255.254.0") ||  
isInNet(host,"146.222.196.0","255.255.254.0") ||  
isInNet(host,"163.30.0.0","255.254.0.0") ||  
isInNet(host,"202.73.64.0","255.255.248.0") ||  
isInNet(host,"202.73.88.0","255.255.248.0") ||  
isInNet(host,"202.178.192.0","255.255.192.0") ||  
isInNet(host,"203.65.0.0","255.255.0.0") ||  
isInNet(host,"203.66.0.0","255.254.0.0") ||  
isInNet(host,"203.68.0.0","255.253.0.0") ||  
isInNet(host,"203.73.0.0","255.253.0.0") ||  
isInNet(host,"203.76.0.0","255.254.0.0") ||  
isInNet(host,"203.79.128.0","255.255.128.0") ||  
isInNet(host,"203.95.128.0","255.255.128.0") ||  
isInNet(host,"203.107.0.0","255.255.192.0") ||  
isInNet(host,"210.58.0.0","255.255.0.0") ||  
isInNet(host,"210.61.0.0","255.255.0.0") ||  
isInNet(host,"210.62.128.0","255.255.128.0") ||  
isInNet(host,"210.63.0.0","255.255.0.0") ||  
isInNet(host,"210.64.0.0","255.252.0.0") ||  
isInNet(host,"210.68.0.0","255.254.0.0") ||  
isInNet(host,"210.85.0.0","255.255.0.0") ||  
isInNet(host,"210.200.0.0","255.253.0.0") ||  
isInNet(host,"210.208.0.0","255.255.0.0") ||  
isInNet(host,"210.241.0.0","255.255.0.0") ||  
isInNet(host,"210.242.0.0","255.254.0.0") ||  
isInNet(host,"210.244.0.0","255.255.0.0") ||  
isInNet(host,"211.20.0.0","255.252.0.0") ||  
isInNet(host,"211.75.128.0","255.255.128.0") ||

```
isInNet(host,"218.32.0.0","255.255.0.0") ||
isInNet(host,"218.34.0.0","255.254.0.0") ||
isInNet(host,"218.160.0.0","255.250.0.0") ||
isInNet(host,"218.168.0.0","255.248.0.0") ||
isInNet(host,"218.187.0.0","255.255.0.0") ||
isInNet(host,"219.80.0.0","255.255.0.0") ||
isInNet(host,"219.81.0.0","255.255.0.0") ||
isInNet(host,"219.84.0.0","255.254.0.0") ||
isInNet(host,"220.129.0.0","255.242.0.0") ||
isInNet(host,"220.228.0.0","255.255.0.0") ||
isInNet(host,"220.229.0.0","255.255.0.0") ||
isInNet(host,"221.169.0.0","255.255.0.0") ||
isInNet(host,"222.156.0.0","255.254.0.0") ||
isInNet(host,"222.250.0.0","255.255.0.0"))
return "DIRECT";
return "PROXY proxy1.twaren.net:3128";
}
```